



Desk Mount Antenna

- Supports MiMo & diversity across 2G/3G/4G/5G
- Two omni-directional ultra wideband elements
- Fold out feet for desk mounting
- Optional suction mount

The DMM antenna provides an innovative and future proof solution for 2G / 3G / 4G and 3.5GHz 5G networks. Incorporating two separately fed ultra wideband elements in a single housing the DMM is equipped to provide portable MiMo and diversity support for the networks of today and tomorrow.


The DMM is highly portable and features desk mount feet which fold out for use, and flat for transport. A handy suction window mount enables users to optimise their signal in multiple locations, with instant installation and easy removal.

The product is supplied with up to 2 metres (6') of cable and a variety of connectors are available.

The DMM is a cost effective value added product for network operators and service providers ensuring a stable link with improved data rates for subscribers thereby improving satisfaction and retention.

Technical Drawing

DMM-7-38 Range Shown



Desk Mount Antenna

DMM-7-38 Range

Product Data


Part No.	DMM-7-38-2SP	DMM-7-38-2RPSP	DMM-7-38-2TS9	DMM-7-38-2CRC9
Electrical Data				
Frequency Range (MHz)	Antenna 1	698-960 / 1710-3800		
	Antenna 2	698-960 / 1710-3800		
Operational Bands	2G / 3G / 4G / 5G			
Radiation Pattern	Omni-directional			
Typical VSWR	< 2.5:1			
Peak Gain - excluding cable loss (all bands)	698-960MHz	2.5dBi		
	1710-2170MHz	5dBi		
	2.2-3.8GHz	4dBi		
Efficiency - excluding cable loss (all bands)	698-960MHz	> 60%		
	1710-2170MHz	> 80%		
	2.2-3.8GHz	> 50%		
Correlation Co-efficient (all bands)	< 0.1			
Element Isolation	> 18dB			
Max Input Power (W)	20 Watts			
Impedance	50Ω			
Mechanical Data				
Dimensions (mm)	Height	137 (5.4")		
	Width	151 (5.94")		
Operating Temp (°C)	-40° / +80°C (-40° / 180°F)			
Material	U.V. Stabilised ABS			
Colour	RAL9005 (Jet Black)			
Weight	250g			
Mounting Data				
Fixing	Desk mount / screen clip window mount			
Cable Data				
Type	2 x RG174			
Diameter (mm)	2.8 (0.1")			
Length (m)	2 (6.5')			
Termination	2 x SMA (m)	2x Rev Pol SMA Plugs	2 x TS9 (m)	2 x CRC9 (m)

Desk Mount Antenna

DMM-7-38 Range

Electrical Data

Typical VSWR Elements 1&2*



Typical Isolation Elements 1&2*

