

5G/4G/3G/2G MiMo Desk Mount Antenna



DMM-7-38 Range



Supports MiMo & diversity across 2G/3G/4G/5G Two omni-directional ultra wideband elements Fold out feet for desk mounting Optional suction mount

The DMM antenna provides an innovative and future proof solution for 2G / 3G / 4G and 3.5GHz 5G networks. Incorporating two separately fed ultra wideband elements in a single housing the DMM is equipped to provide portable MiMo and diversity support for the networks of today and tomorrow.

The DMM is highly portable and features desk mount feet which fold out for use, and flat for transport. A handy suction window mount enables users to optimise their signal in multiple locations, with instant installation and easy removal.


The product is supplied with up to 2 metres (6') of cable and a variety of connectors are available.

The DMM is an cost effective value added product for network operators and service providers ensuring a stable link with improved data rates for subscribers thereby improving satisfaction and retention.





Technical Drawing DMM-7-38-25P shown



Panorama Antennas Ltd

Frogmore, London, SW18 1HF, United Kingdom T: +44 (0)20 8877 4444 | F: +44 (0)20 8877 4477 E: sales@panorama-antennas.com

E: sales@panorama-antennas.com W: www.panorama-antennas.com PANORAMA (P) ANTENNAS

03/12/2019 V3

Page 1

Waiver: The data given above is indicative of the performance of the product/s under particular conditions and does not imply a guarantee of performance. These specifications are subject to change without notice. Copyright © Panorama Antennas Ltd. All rights reserved.



5G/4G/3G/2G MiMo Desk Mount Antenna



DMM-7-38 Range

Product Data

Part No.					
		DMM-7-38-2SP	DMM-7-38-2RPSP	DMM-7-38-2TS9	DMM-7-38-2CRC9
Electrical Data					
Frequency Range (MHz)	Antenna 1	698-960 / 1710-3800			
	Antenna 2	698-960 / 1710-3800			
Operational Bands		2G/3G/4G/5G			
Radiation Pattern		Omni-directional			
Typical VSWR		<2.5:1			
Peak Gain - excluding cable loss (all bands)	698-960MHz	2.5dBi			
	1710-2170MHz	5dBi			
	2.2-3.8GHz	4dBi			
Efficiency - excluding cable loss (all bands)	698-960MHz	>60%			
	1710-2170MHz	> 80%			
	2.2-3.8GHz	>50%			
Correlation Co-efficie	ent (all bands)		< 0.	1	
Element Isolation		> 18dB			
Max Input Power (W)		20 Watts			
Impedance		50Ω			
Mechanical Data					
Dimensions (mm)	Height	137 (5.4")			
	Width	151 (5.94")			
Operating Temp (°C)		-40° / +80°C (-40° /180°F)			
Material		U.V. Stabilised ABS			
Colour		RAL9005 (Jet Black)			
Weight		250g			
Mounting Data					
Fixing		Desk mount / screen clip window mount			
Cable Data					
Туре		2 x RG174			
Diameter (mm)		2.8 (0.1")			
Length (m)		2 (6.5')			
Termination		2 × SMA (m)	2x Rev Pol SMA Plugs	2 × TS9 (m)	2 × CRC9 (m)

Frogmore, London, SW18 1HF, United Kingdom T: +44 (0)20 8877 4444 | F: +44 (0)20 8877 4477 E: sales@panorama-antennas.com W: www.panorama-antennas.com



03/12/2019 V3

Page 2

Waiver: The data given above is indicative of the performance of the product/s under particular conditions and does not imply a guarantee of performance. These specifications are subject to change without notice. Copyright © Panorama Antennas Ltd. All rights reserved.




5G/4G/3G/2G MiMo Desk Mount Antenna




DMM-7-38 Range

Electrical Data

Typical VSWR - Elements 1&2



*VSWR measured in free space with 2m (6') of RG174 Cable



*Isolation measured in free space with 2m (6') of RG174 Cable

W: www.panorama-antennas.com



03/12/2019 V3 Page 3

Waiver: The data given above is indicative of the performance of the product/s under particular conditions and does not imply a guarantee of performance. These specifications are subject to change without notice. Copyright © Panorama Antennas Ltd. All rights reserved.