

QuMax for RUT360

P/N: A360M

Integrated outdoor multi band high power LTE directional antenna + outdoor Wi-Fi omni antenna + place to install Teltonika RUT360 (All-in-one)

QuMAX offers the most powerful directional LTE antenna of all QuWireless antennas. It is dedicated to connections with long distance to base station. It is designed to have Teltonika RUT360 router installed inside IP67 enclosure. It is the first choice for fixed installations in industrial environment. It has embedded also outdoor Wi-Fi omni antennas.



VERSION 1.00

OUTDOOR

ANTENNA

SOLUTION

Use Teltonika router wherever you want

Maximize your signal with QuWireless antennas

Plug Teltonika router and you are good to go



LTE SPECIFICATION

| FREQUENCY | 0.694-0.96 GHz |
|------------------------|--|
| TREQUERCY | |
| | 1.7 - 2.2 GHz |
| | 2.2 - 2.7 GHz |
| SUPPORTED LTE/5G BANDS | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 17, 18, 19, 20, |
| | 23, 25, 26, 27, 28, 29, 30, 33, 34, 35, 36, 37, 38, 39, |
| | 40, 41, 44, 53, 59, 62, 65, 66, 67, 68, 69, 85, n80, |
| | n81, n82, n83, n84, n86, n89, n90, n95 |
| GAIN | 0.694 - 0.96 GHz : 4 dBi |
| | 1.7 - 2.2 GHz : 5 dBi |
| | 2.2 - 2.7 GHz : 6 dBi |
| Front-to-Back | >8 dB |
| VSWR | <1.30, max <1.80 |
| BEAMWIDTH | 90°/90° +/- 30° |
| POLARIZATION | Vertical |
| IMPEDANCE | 50 Ω |
| | |


WI-FI SPECIFICATION

| FREQUENCY | 2.40-2.50 GHz |
|--------------|------------------|
| GAIN | 6 dBi |
| VSWR | <1.70, max <2.00 |
| BEAMWIDTH | 360°/25° +/- 5° |
| POLARIZATION | Vertical |
| IMPEDANCE | 50 Ω |


MECHANICAL SPECIFICATION

| MATERIALS | ABS, aluminum, PTFE, Fiberglass |
|-----------------------|---|
| INGRESS PROTECTION | IP67 |
| CONNECTOR TYPE | RJ45 + 2xNf + 2xNm in external omni wi-fi |
| | antenna |
| DIMENSIONS | 272 x 276 x 96 mm |
| | 10.71 x 10.87 x 3.78 inch |
| WEIGHT | 1.8 kg |
| | 3.97 lbs |
| OPERATING TEMPERATURE | From -40°C to 75°C |
| | From -40°F to 167°F |






VSWR for Wi-Fi antenna




PLOTS


700-900 MHz Azimuth




700-900 MHz Elevation












2300-2700 MHz Azimuth




2300-2700 MHz Elevation



Wi-Fi Azimuth



Wi-Fi Elevation






RUT360 is an updated version of our all-time best-seller RUT240. This compact industrial cellular router offers a possibility to connect to the internet using cellular, Wi-Fi, and wired networks.

RUT360 Datasheet

RUT360 User Manual

RUT360 Quick Start Guide



HEADQUARTER:

Wireless Instruments sp. z o.o. ul. Kościuszki 27
52-116 Iwiny
POLAND
sales@quwireless.com
tel 1. +48 601 366 369

tel 2. +48 577 667 761 www.quwireless.com